I hereby certify that this correspondence is being deposited with the MAKE-A-RECORD CORCURATION OF CORD CORCURATION OF CORCURA

I hereby certify that this correspondence is being deposited with th U.S. Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA-32313-1450 on:

Jan. 27, 2009 (Date of Deposit) Took Touch

PATENT 50788/G476

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Ø.S. Patent No.

: 6,978,053

Confirmation No. 8412

Issued

JAN 3 0 .2009

: December 20, 2005

Inventor(s)

: Karen Sarachik, et al.

Application No.

: 09/697,479

Filed

: October 26, 2000

Title SINGLE-PA

: SINGLE-PASS MULTILEVEL METHOD FOR APPLYING

MORPHOLOGICAL OPERATORS IN MULTIPLE DIMENSIONS

MAKE-OF-RECORD LETTER

Office of Certificates of Correction Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 P. O. Box 7068 Pasadena, CA 91109-7068 January 27, 2009

Commissioner:

It is respectfully requested that the following list of minor errors in the text of the aboveidentified patent be entered in the patent file history.

Location in Patent	Location in Application	<u>Error</u>
In the specification, column 2, line 58	Page 4, line 9	Replace "FIG. 5 is a diagram" with "FIGS. 5A-5B are diagrams."
In the specification, column 2, line 61	Page 4, line 11	Replace "FIG. 5A is a block diagram" with "FIG. 5C is a block diagram"
In the specification, column 3, line 26	Page 5, line 12	Replace "FIG. 12" with "FIGS. 12A-12B"
In the specification, column 4, line 47	Page 8, line 4	Replace "FIG. 2A" with "FIGS. 2 and 2A"
In the specification, column 4, line 60	Page 8, line 13	Insert(FIG. 1D) after "The annotation data 5"
In the specification, column 5, line 11	Page 9, line 3	Replace "stream 29" with "stream 29" "

Patent No. 6,978,053

In the specification, column 5, line 33	Page 9, line 18	Replace "transport 46" streams" with "transport 46' streams"
In the specification, column 5, line 34	Page 9, line 18	Replace "transport 29" with "transport 29" "
In the specification, column 7, line 25	Page 13, line 11	Replace "multiplexer system 8' " with "multiplexer system 48' "
In the specification, column 7, line 30	Page 13, line 15	Replace "44' " with "48' "
In the specification column 7, line 33	Page 13, line 17	Replace "44' " with "48' "
In the specification, column 7, line 62	Page 14, line 13	Replace reference "116" with "118"
In the specification, column 9, line 30	Page 17, line 13	Replace "FIG. 5" with "FIGS. 5A-5B"
In the specification, column 10, line 49	Page 20, line 4	Replace "FIG. 5 shows" with "FIGS. 5A-5B show"
In the specification, column 10, line 55	Page 20, line 8	Replace "FIG. 5 shows" with "FIGS. 5A-5B show"
In the specification, column 11, line 22	Page 21, line 7	Replace "FIG. 5" with "FIGS. 5A-5B"
In the specification, column 11, line 24	Page 21, line 9	Replace "FIG. 5" with "FIGS. 5A-5B"
In the specification, column 11, line 33	Page 21, line 15	Remove reference 216 after "UID"
In the specification, column 13, line 48	Page 26, line 1	Replace "FIG. 5" with "FIGS. 5A-5B"
In the specification, column 13, line 65	Page 26, line 13	Replace reference "1020" with "1010"
In the specification, column 14, line 6	Page 26, line 18	Replace reference "266" with "266' "

Patent No. 6,978,053

		•
In the specification, column 14, line 7	Page 26, line 19	Replace reference "266" with "266' "
In the specification, column 14, line 11	Page 26, line 22	Replace reference "259" with "259' "
In the specification, column 14, line 16	Page 27, line 4	Replace reference "2004" with "2003"
In the specification, column 14, line 26	Page 27, line 10	Replace "259" " with "259' "
In the specification, column 15, line 27	Page 26, line 14	Replace "5A" with "5C"
In the specification, column 26, line 35	Page 52, line 6	Replace "In step 1166, the" with "The"
In the Figures, FIG. 2, Sheet 2 of 18	Figure 2	Change "AUGMATED" to "AUGMENTED" in box 46'
In the Figures, FIG. 2A, Sheet 3 of 18	Figure 2A	Change reference "50" for "TV Display" to reference "58"
In the Figures, FIG. 2D, Sheet 4 of 18	Figure 2D	Item 38 (table at bottom right corner) Change "ECODING" to "ENCODING", and Change "OMT VID" to "OMT UID"
		The table 45' (in the bottom left corner) Change "OBJECT VID" to "OBJECT UID"
In the Figures, FIG. 3, Sheet 5 of 18	Figure 3	Replace reference "48" with reference "48' "
In the Figures, FIG. 5-1, Sheet 7 of 18	Figure 5-1	Change to FIG. 5A; remove "FIG. 5" and boxes on top of page
In the Figures, FIG. 5-2, Sheet 8 of 18	Figure 5-2	Change to FIG. 5B; in table 220', Replace "UID=103124" with "UID=10324", and Replace reference "266" with reference "266' "

Patent No. 6,978,053

In the Figures,

FIG. 5A, Sheet 9 of 18

Figure 5A

Change to FIG. 5C

In the Figures,

FIG. 9C, Sheet 13 of 18

Figure 9C

Change "INDICATOR" to "INDICATIVE"

In the Figures,

FIG. 11C, Sheet 16 of 18

Figure 11C

Delete "1150" that refers to circle labeled

"Begin"

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

Ву

Josephine E. Chang

626/795-9900

JEC/lal

RJF PAS760437.1-*-01/23/09 9:54 AM